




VL-ONE

Product	Projector lift holder
Brand	Pluscreen
Serie	Videolift
Ref.	VL-ONE
EAN Code	8435171610086
TARIC Code	HS Code 84282080
Origin	UE
Certifications	CE, Rohs
Recommended uses	To conceal ceiling projectors in meeting rooms, auditoriums, control rooms, home cinema and other video-projection areas
Key features	<ul style="list-style-type: none"> ● ● ● Compact. It fits in a small space and the resources are low because it is extremely light ● ● ● Stable. VL-ONE guarantees perfect images because no swinging, no tilt and no swivel ● ● ● Reliable. End of run with micro adjustment for projection is always positioned at the same point ● ● ● Safety. In situations of excessive heat caused by improper use, videolift is stopped ● ● ● Complete. Available accessories to keep the elegance of the installation

Technical Details

<p>Mechanical</p>	<p>Dimensions: Total Size cm (Included protrusions): 45,22 x 8,8 x 43,34. Size of the hanging tray cm: 39,8x39,8 Total weight: 8,5kg. Maximum drop: 80cm, adjustable Pantographs Made of aluminum Number: 3 Transmission cable Made of steel Number: 2 Universal anchorage system for the projector</p>
<p>Electrical</p> 	<p>Motor Type: Tubular End of run: Manual micro-adjust RPM: 17 (Maximum travel time: 20sg) Noise<50dB Power: 230V AC 50Hz (see picture) Consumption: 121W Continuous working time: 240sg Included Remote control RF: MRF-1RP</p>
<p>Working conditions</p>	<p>Projector size With rods for false ceiling cm:34x34 Without rods for false ceiling: unlimited (probably it needs a special element to end the installation) Projector Weight: 10kg Temperature: -10°C ~+50°C Humidity: 5% to 50% RH (No condensation)</p>
<p>Package Size and weight</p>	<p>Unit size including package 56x52x26 Unit weight including package 10kg. Cases per European Pallet 12 units Completed EUR Pallet Size cm: 120x80x132 Weight Kg:125</p>

Optional Accesories

VL-FRAME01

Frame kit for VL-ONE ceiling closure kit.
Made of steel
Color White



VL-BOX01

Concealment box to hide the projector when it is running
Designed for the correct cooling of the projector
Made of steel
Color White

