
# EVOline® Cable Management



## EVOline® Cable Management

EVOline Cable Management organises and consolidates loose cables and ensures health & saftey requirements within office interiors. The Bridge-System enables individual solutions for almost any application. Connectors, 90° angled module, T-module and cross module allow cable routing on the floor as required. The vertical module is perfect for the clean transition between walls and furniture.

Furthermore, an adapter module is available for connection to EVOline WireLane.



Description Picture Specification Order number

#### Cable Outlet EVOline FlipTop SMALL

For installation in work surfaces with thickness of 19 to 35 mm.
Fold out cover with click stops and end stops. Cable outlet with black brush strip.
Installation dimensions:
185 x 157 mm



Housing and cover made of brushed stainless steel

1593 4204 0300

#### Cable Passage EVOline Port

Rocking cover and collar made of plastic



silver lacquered 1593 1002 5301

black lacquered 1593 1003 2601

#### Cable Passage EVOline Port

Rocking cover made of solid stainless steel in CD-look and collar made of plastic, painted to match solid stainless steel 1593 1003 2701

#### **EVOline WireLane**

Under-desk cable channel made of plastic.

One package consisting of 3 pieces, each 250-330 mm in length.

The elements can be linked and separated.



black 6593 5201 0000

grey 6593 5211 0000

#### **EVOline Bridge**

Cable cover for screw fixing made of aluminium with black trim.



Includes 4 CableClips Length: 1.200 mm

1593 5011 2000

For a wide range of modules for cable management see EVOline Configurator.





### EVOline® Cable Management

Description

Picture

Description

Picture

Bridge Module Arc 90°

includes 4 fixing bolts




Bridge Module T includes 6 fixing bolts



**Bridge Module Cross** 

includes 8 fixing bolts





can also be used as end piece



**Bridge Module Vertical** 



**Bridge Connectors** 

2 pieces



For a wide range of modules for cable management see the EVOline Configurator.

Directly to **EVOline** Configurator.

www.evoline.com/ konfigurator

