

## FPMA-D700DD

Neomounts by Newstar Tilt/Turn/Rotate  
Dual Desk Stand for two 19-30" Monitor  
Screens, Height Adjustable - Black

## NEOMOUNTS BY NEWSTAR MONITOR DESK



Neomounts



Neomounts

### SPECIFICATIONS

#### GENERAL

Desk mount	Grommet Stand
Max. screen size*	30
Max. weight	8
Min. screen size*	19
Min. weight	0
Screens	2
VESA maximum	100x100 mm
VESA minimum	75x75 mm
VESA pattern	75x75 100x100

#### FUNCTIONALITY

Depth	15 cm
Height	34 - 44 cm
Height adjustment	Manual
Rotate (degrees)	360°
Swivel (degrees)	180°
Tilt (degrees)	180°
Type	Tilt Rotate Swivel Full motion
Width	52 - 83 cm

#### INFORMATION

Color	Black
Warranty	5 year
EAN code	8717371442507

\*Please note: The inch sizes stated are just an indication, combined with the weight and VESA sizes. The maximum weight and VESA size are absolute restrictions for the products and should not be exceeded.

The Neomounts by Newstar desk mount, model FPMA-D700DD is a tilt-, swivel and rotatable desk mount for 2 flat screens up to 30". This mount is a great choice for space saving placement on desks using a desk stand or grommet mount.

Neomounts by Newstar's versatile tilt (180°), rotate (360°) and swivel (180°) technology allows the mount to change to any viewing angle to fully benefit from the capabilities of the flat screen. Depth 15 centimetres. An innovative cable management conceals and routes cables from mount to flat screen. Hide your cables to keep the workplace nice and tidy.

Neomounts by Newstar FPMA-D700DD has two pivot points and is suitable for screens up to 30" (76 cm). The weight capacity of this product is 8 kg each screen. The desk mount is suitable for screens that meet VESA hole pattern 75x75 or 100x100mm. Different hole patterns can be covered using Neomounts by Newstar VESA adapter plates.

By using an ergonomic mount neck- and back complaints can be avoided. Ideal for use in offices and on counters or in a reception area.

All installation material is included with the product.

**FPMA-D700DD**

**NEOMOUNTS BY NEWSTAR MONITOR DESK**

