

NOVUS MY base W wall rail with org. wall mount





This machine bears the GS approval of product safety.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.


Aluminium profile for mounting on an organisation wall
Adaption to the organisation wall via slot nuts
Flat distance to the wall of about 20 mm
Height of the column: 350 mm
Covered screw holes
Fastening material included


Version	Art.No.	EAN Code	
 	Silver	911+0089+000	4009729052952

NOVUS MY tab



- Unique tablet holder that makes it very easy to insert and remove a variety of tablets
- Tablet mount for tablets with a size of 7" to 10" (clamping length 160-300 mm)
- Tablets can be used in portrait or landscape format
- For attachment to NOVUS MY fix, NOVUS MY arm and NOVUS TSS support elements

Version	Art.No.	EAN Code
 black	911+3005+000	4009729052525



The weight indicates the maximum load-bearing capacity of the supporting element or the maximum weight of an attachable tablet in kilograms.



This machine bears the GS approval of product safety.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.

NOVUS MY tab



NOVUS MY one + NOVUS MY tab



Rear view of NOVUS MY one + NOVUS MY tab



A tablet is easy to insert in landscape format.



A tablet is easy to insert in portrait format.



Practical tablet PC holder for tablets with screen sizes from 7 to 10 inches.

NOVUS MY fix 2.0



This standard mount allows monitors with VESA standard 75x75 or 100x100 to be easily attached. The value indicates the hole spacing in mm.




The value indicates the maximum bearing capacity of the supporting element or the maximum weight of a mountable monitor in kg.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our headquarters in Germany.

- Height-adjustable support carriage with VESA Standard 75/100
- New cross joint with pivot function for working in vertical format
- Closed mount for a tidy rear side
- Mounting of flat screens up to 5 kg
- Range: 50 mm
- MY base as a mandatory extension

Version	Art.No.	EAN Code
 black	911+1019+000	4009729068939

NOVUS MY fix 2.0



MY fix 2.0, black



MY fix 2.0, black