## **NOVUS MY tab**





The weight indicates the maximum load-bearing capacity of the supporting element or the maximum weight of an attachable tablet in kilograms.



This machine bears the GS approval of product safety.



The quality statement "German Engineering" ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the "German Engineering by Novus" signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.

- Unique tablet holder that makes it very easy to insert and remove a variety of tablets
- Tablet mount for tablets with a size of 7" to 10" (clamping length 160-300 mm)
- Tablets can be used in portrait or landscape format
- For attachment to NOVUS MY fix, NOVUS MY arm and NOVUS TSS support elements

Version	Art.No.	EAN Code
black	911+3005+000	4009729052525



## **NOVUS MY tab**



NOVUS MY one + NOVUS MY tab



Rear view of NOVUS MY one + NOVUS MY tab



A tablet is easy to insert in landscape format.



A tablet is easy to insert in portrait format.



Practical tablet PC holder for tablets with screen sizes from 7 to 10 inches.



## NOVUS POS base connect 100





Novus offers a warranty of 2 years when handled in a proper manner.



The value indicates the column height in mm.



The quality statement "German Engineering" ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the "German Engineering by Novus" signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.

- High-quality silver or black anodised aluminum columns with internal cable management sealed by 2 sturdy brushes
- Cables could be managed internally over the complete lengths of the coulmn through 2 sturdy brushes
- 2-in-1 mounting option with screw-on and screw-through attachment for using existing means of attachment
- · Height of the column: 100 mm
- · With a connect joint for the fixation of POS connect plates

Version	Art.No.	EAN Code
anthracite	851+1045+000	4009729058220
Silver	851+1049+000	4009729058237

