


NOVUS POS display-holder 75



- High-quality, short POS support arm for mounting terminals and screens
- Suitable for VESA standard 75x75
- Mounting of flat screens up to 10 kg
- Restrict movement by tightening the joints
- Range: 70 mm
- Swivelling and tiltable
- High-quality silver or black anodised aluminum profiles
- Removable clamping grips for protection from theft
- Obligatory supplement is a POS base


Version	Art.No.	EAN Code
 Silver	852+0709+001	4009729068205
 anthracite	852+0705+001	4009729062456



This standard mount allows monitors with VESA standard 75x75 to be easily attached. The value indicates the hole spacing in mm.



The value indicates the maximum bearing capacity of the supporting element or the maximum weight of a mountable monitor in kg.



The value indicates the scope of the product in mm




The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our headquarters in Germany.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.

- Suitable for all POS base columns

Version	Art.No.	EAN Code
 anthracite	795+1705+016	4009729074978

NOVUS POS base 300



The value indicates the column height in mm.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our headquarters in Germany.

- High-quality silver or black anodised aluminum columns with internal cable management sealed by 2 sturdy brushes
- Cables could be managed internally over the complete lengths of the coulmn through 2 sturdy brushes
- 2-in-1 mounting option with screw-on and screw-through attachment for using existing means of attachment
- Infinitely height adjustment of the supoport elements trough a clever slot system
- Height of the column: 300 mm
- Suitable for all POS support elements

NOVUS POS connect plate Tablet Gastro



- Universal connect plate to attach all popular tablets
- Attachment by using e.g. double-sided tape (not included)
- Suitable for VESA standards: 75x75 and 100x100
- Dimensions: 200 x 150 mm
- High-quality metal, powdered in anthracite
- Obligatory supplement is a POS base connect or a POS connect arm

Colours



anthracite

Art.No.

851+0035+074

EAN Code

4009729080313

