



# RetailSystem

Novus more space system

**NOVUS**<sup>®</sup>

# Innovations on track: With expertise in individually tailored retail solutions.

Since the company was founded in 1949, the Novus brand has been synonymous with:

- innovative technology,
- sophisticated „German Engineering“,
- modular systems
- and high quality.

These attributes provide the basis for the modular Novus RetailSystem as the key to creating secure and appealing POS solutions that are tailored to your needs with its versatile, flexible elements. It is precisely this individuality that is needed at the checkout with its many and varied demands.

Our space-saving flexible products integrate perfectly into the shop's design and enhance user friendliness at the checkout with cleverly designed details.

Every day our engineers are busy working on new solutions at the Research and Development Centre at company headquarters in Lingen, Germany. We use advanced technology in our company's own production facilities to ensure the high quality of our products.

Let our expertise benefit your business:  
We can design and produce solutions for you that are tailored in every detail to your specific requirements.



The emco Group's Research and Development Centre in Lingen, Germany



# One system – multi-purpose use



## Mobile service perfectly integrated at the Point of Sale: NOVUS TabletSafe.



The TabletSafe adds a practical and versatile tablet holder to the NOVUS RetailSystem range. Product and promotional information presented in a customer-friendly way as well as selling through mobile devices are the mark of modern customer communication and sales processes.

Whether at the point of sale or in the showroom, whether on the wall or on the counter, the versatile mounting options now provide a place for any tablet.



## Cleverly designed in every detail.



The TabletSafe or connect plate is securely attached to the connect joint. Perfect cable management hides cables from view. With internal cable routing, the tablet / device can be turned +/- 45 degrees in each direction.



Alternatively the connect joint enables a turning of 360 degrees.



The metal clips permit exact tablet positioning in the frame.



Control functions remain accessible by the practical apertures. If not used, they can be closed off with cover caps.



Unobtrusive and impressively practical: the integrated lock provides secure protection against theft.



The right system for any need.



Knowing what's important to you: our RetailSystem and its components.



2-in-1: Screw-on and screw-through attachment for using existing means of attachment.



High-quality silver- or black anodised aluminium profiles. Cables are routed through the inside of the column where they are concealed by practical brush seals.




Infinitely variable in height, the arms let you position terminals, keyboards and monitors wherever you choose.



Practical cable holders provide secure, neatly organised cable management on the arm.



Customised mounting options for attaching brand-specific peripheral devices.



Straightforward attachment of all monitors with VESA attachment standard 75 / 100. Attachment can be made with QuickRelease.

Everything in view.

anthracite



silver



**RetailSystem base – column for RetailSystem arms**

	<b>RetailSystem base 200</b> Internal cable management sealed by 2 sturdy brushes; 2-in-1 mounting	851+2005+000	851+2009+000	200 mm			
	<b>RetailSystem base 400</b> Internal cable management sealed by 2 sturdy brushes; 2-in-1 mounting	851+4005+000	851+4009+000	400 mm			
	<b>RetailSystem base 600</b> Internal cable management sealed by 2 sturdy brushes; 2-in-1 mounting	851+6005+000	851+6009+000	600 mm			

**RetailSystem base connect – column to support RetailSystem connect plates**

	<b>RetailSystem base connect 100</b> Internal cable management sealed by 2 sturdy brushes; 2-in-1 mounting; tilt and turn	851+1045+000	851+1049+000	100 mm			
	<b>RetailSystem base connect 200</b> Internal cable management sealed by 2 sturdy brushes; 2-in-1 mounting; tilt and turn	851+2045+000	851+2049+000	200 mm			

**RetailSystem arm – support arms for monitors**

	<b>RetailSystem arm S</b> Short, tilt and turn support arm for terminals and monitors	852+0705+000	852+0709+000		70 mm	■	10 kg
	<b>RetailSystem arm M 120</b> Tilt and turn support arm for terminals and monitors	852+2005+000	852+2009+000		200 mm	■	10 kg
	<b>RetailSystem arm L 380</b> 2-part articulated tilt and turn support arm for terminals and monitors	853+4505+000	853+4509+000		450 mm	■	10 kg

**RetailSystem connect – support arms for RetailSystem connect plates**




	<b>RetailSystem connect M 120</b> Support arm for connect plates; tilt and turn	852+2035+000	852+2039+000		200 mm		10 kg
	<b>RetailSystem connect L 380 D</b> 2-part support arm for connect plates; tilt and turn; downwards assembled	853+4525+000	853+4529+000		450 mm		10 kg
	<b>RetailSystem connect L 380</b> 2-part support arm for connect plates; tilt and turn	853+4535+000	853+4539+000		450 mm		10 kg



**We realise your project:**

For individual tailor-made solutions and developments please contact us at Phone: +49 (0) 591-9140 415 or e-Mail: [info@novus-retailsystem.com](mailto:info@novus-retailsystem.com)

# The Novus RetailSystem

	<b>RetailSystem connect plate – connecting plate for keyboards</b>	
	Keyboard (supporting surface / W x L: 300 x 150 mm)	851+0035+004
	<b>RetailSystem connect plate – connecting plates for EC terminals</b>	
	Artema Hybrid	851+0035+019
	Banksys Yomani ML+XR Touch	851+0035+007
	ICP BIA	851+0035+017
	Ingenico ICT 250/220	851+0035+011
	Ingenico IPP 350/310	851+0035+009
	Ingenico IPP 480	851+0035+020
	Primus PT201594	851+0035+002
	Verifone H5000	851+0035+001
	Verifone VX 520	851+0035+014
	<b>RetailSystem connect plate – connecting plates for printers and scanners</b>	
	Epson TM-T20II (auch für Casio UP-400)	851+0035+005
	Magelan 1100i	851+0035+003
	Orbit MS 7120	851+0035+006
	Printer I (for PartnerTECH RP 100 / RP 300 / RP 600, TM-T20II, LK-TE322)	851+0035+008
	Universal 183 x 216	851+0035+013

anthracite\*




silver\*\*





white\*\*\*





## TabletSafe – lockable tablet holder for Android / Apple devices (for iPad 1/2/3/4 and iPad Air/Air 2)

	<b>RetailSystem TabletSafe iPad</b> For portrait and landscape use, with aperture for function buttons and cable management	881+1318+000	881+1308+000	881+1301+000	B x L x T: 301,5 x 231,5 x 20 mm
	<b>RetailSystem TabletSafe Android</b> For portrait and landscape use, with aperture for function buttons and cable management	881+0318+000	881+0308+000	881+0301+000	

## TabletSafe – base

	<b>DeskStand</b> For standing on desks, with brush seals for internal cable routing	882+0205+000	882+0209+000	200 mm
	<b>FloorStand</b> For standing on floors, with brush seals for internal cable routing	882+1005+000	882+1009+000	
	<b>DeskMount</b> Practical tablet holder for use on the desk or counter, with fixed tilting angle of 55 degrees	882+0025+000		

## TabletSafe – tablet mounts

	<b>WallMount</b> Practical mount for connecting the TabletSafe to the wall, with fixed tilting angle of 33 degrees	882+0035+000		
	<b>ScreenMaster 100</b> For mounting the TabletSafe flat against the wall		940+1009+000	

\* TabletSafe with frame and trim in anthracite

\*\* TabletSafe with frame in silver and trim in anthracite

\*\*\* TabletSafe with frame in silver and trim in white

Novus Dahle GmbH & Co. KG  
Business division: Novus more space system  
Breslauer Straße 34 - 38  
GER - 49808 Lingen (Ems)  
Germany  
Phone +49 (0) 591 9140-0  
Fax +49 (0) 591 9140-841  
info@novus-dahle.com

[www.novus.de](http://www.novus.de)

FSC-Zeichen

855-2550 EN 01/16  
Technical specifications and design are approximations, subject to change without notice.