

TabLines TSG tablet protective housing

Mounting instruction



Be sure to read the mounting instruction before installation - assembly - mounting!
This will protect you and prevent damage to your product.




1.	Delivery.....	3
2.	General information.....	4
3.	Insertation of the tablet.....	5
3.1	Loosen safety screw.....	5
3.2	Open the housing.....	5
3.3	Insert the tablet.....	5
3.4	Close the housing.....	6
4.	Optional power supply accessories.....	6

Congratulations!

With the TabLines TSG tablet protective housing you have chosen a high quality product that offers you great benefits in the areas of comfort and design on a high technical level.

The serviceability and durability of the TabLines TSG tablet case depends on proper and professional installation, operation, care and observance of the instructions contained in this installation manual. Any necessary electrical connections should only be made by the appropriate professional.

1. Delivery



Included in delivery:

- ① 1x Frame
- ② 1x Housing
- ③ 1x Safety screw
- ④ 1x Safety hexagon wrench
- ⑤ 4x Countersunk cross slot and nut with hexagon socket M4x10
- ⑥ 1x Angle plug for USB charging cable (only for some Samsung Tablet models)

2. General information

Before the actual installation, please observe the following instructions for proper installation:

1. Do not use the TabLines TSG in a damp or wet environment.
2. You can also charge your tablet in the TSG protective case. You can pass a charging cable through the opening in the case to the desired power source. A corresponding charging cable is not included and must be purchased separately. Some Samsung models require the additional use of the included right-angle plug.
3. TabLines TSG tablet protective cases are available for all popular tablet models. Please make sure that you have purchased the appropriate TSG for your tablet PC.
4. The mounting instructions are identical for all tablet models. The only difference is that the tablet has to be placed in landscape orientation for a Samsung Galaxy Tab 3, 4, Pro 12.2 or Microsoft Surface 3 and Pro 4. For all other tablet models, place the tablet in portrait orientation in the protective case.
5. You will need a 3 mm hex wrench for assembly. The safety hexagon wrench for the screws is included.
6. The VESA mount (see Fig. 1) allows you to attach the TabLines TSG to a VESA-capable mount. For this purpose, you can purchase any mount (e.g. for the wall or a stand) with a VESA mount of 100x100 mm separately.




Fig. 1: VESA mounting of TabLines TSG tablet protective housing

3. Insertation of the tablet

The TabLines TSG is a robust and functional protective case for your tablet. Thanks to its solid steel construction, your tablet PC is protected from unauthorized access and can be used at trade shows, exhibitions or in public areas.



Fig. 2: Loosen screw on frame

3.1 Loosen safety screw

Open the safety screw on the frame with the enclosed hexagonal wrench.

Attention: The screw is needed again in step 3.4 to fix the frame. Open the safety screw on the frame with the enclosed hexagonal wrench.




Fig. 3: Push off frame

3.2 Open the housing

Then slide the frame off the housing.

The case can now be attached to a bracket with a VESA standard (100x100 mm), which can be purchased separately, if desired. You can use the supplied cylinder screws for this purpose.

If no further fastening is required, this step is omitted.



Fig. 4: Tablet inserted

3.3 Insert the tablet

Place the tablet between the insert strips as shown in Fig. 4 (the insert strips are supplied already glued in place)

Make sure that your tablet does not fall down during mounting. Hold the tablet until the frame is firmly mounted on the case.



Fig. 5: Push up the frame and tighten the safety screw

3.4 Close the housing

Slide the frame back onto the housing.

Please make sure to close the frame so that the safety screw can be reattached.

Tighten the safety screw with the hexagon wrench afterwards.

4. Optional power supply accessories



Fig. 6: Charging tablet in the case with TabLines TNT001 power supply built into the wall; wires of the power supply to connect to the power outlet


TabLines TNT001 wall-mount USB power adapter

To mount your tablet in the TSG protective housing on the wall, the TabLines TNT001 power supply unit is recommended for permanent power supply.

Due to its compact form, the TabLines TNT001 can be integrated into conventional flush-mounted switch boxes (System 55). The two wires of the power supply unit (see Fig. 6) can be easily connected to the power source.

In case you do not want to mount your TSG directly above a socket, the power line can be moved by an experienced electrician so that you can mount the flush-mounted box at a desired location on the wall. Now mount the TSG above the power supply so that your tablet is invisibly permanently supplied with power.


Notes



TabLines TSG tablet protective housing

Contact us

Your TabLines dealer / specialist partner



Changes reserved



TabLines
Am Marienhof 8
22880 Wedel
Germany

E-Mail: info@tablines.com
Web: www.tablines.com
Tel.: +49 (0) 4103 / 90387 - 0
Fax: +49 (0) 4103 / 90387 - 11

 **TabLines**
novationen