

ergotron[®]

moving you forward

LX Pro Dual Arms

- **Flexible and Adaptable:** Accommodates different monitor sizes and configurations with various attachment options and accessory kits
- **Enhance Ergonomics:** Customizable positioning reduces strain and promotes better posture, with increased tilt range for stacked monitors
- **Modern Aesthetic:** Sleek design with improved cable management complements any workspace
- **Simple Installation:** Fewer parts, better cable management, and a detachable head make setup quick and easy
- **Maximize Desk Space:** A smaller base and compact profile free up workspace by lifting monitors off the desk
- **Boost Productivity:** Adjust monitor position to create an optimal viewing setup, improving focus and efficiency




THE NEXT GENERATION IN THE LX LEGACY



The LX line has been a trusted choice in ergonomic workspace solutions for over 20 years; recognized for its quality engineering, flexibility, and innovative Constant Force lift technology. The new LX Pro carries this legacy forward with a modern design, easier installation, and improved ergonomics. With added adaptability for a wide range of monitor setups, LX Pro continues Ergotron's commitment to solutions that evolve with changing workplace needs.

Experience the Upgrade




ADDED CABLE COVER
FASTER INSTALLATION AND
SLEEKER LOOK



NEW TENSION INDICATOR
SET TENSION LEVEL ONCE AND
REPEAT FOR QUICK INSTALLATION
OF MULTIPLE WORKSTATIONS




NEW ROTATION STOP
PREVENT DAMAGE TO WALLS,
PARTITIONS, OR CUBICLES



INCREASED TILT RANGE
BETTER ERGONOMICS FOR USERS

Maximize Adaptability with Accessories*



DESK-TO-WALL CONVERSION



ADD AN ARM
(DUAL TO TRIPLE OR QUAD)



NOTEBOOK TRAY



GROMMET MOUNT

*Available to purchase separately

LX Pro Dual Arms



LX Pro Dual Direct



LX Pro Dual Side-By-Side



LX Pro Dual Stacking

Part # (color)	45-684-293 (Industrial Grey) 45-684-292 (Matte Black) 45-684-290 (White)	45-686-293 (Industrial Grey) 45-686-292 (Matte Black) 45-686-290 (White)	45-690-293 (Industrial Grey) 45-690-292 (Matte Black) 45-690-290 (White)
Includes	Arm, extension, (2) monitor pivots, 2-piece desk clamp, 5.1" (13.1 cm) pole, dual bow, attachment hardware (grommet mount base sold separately)	(2) Arms, (2) extensions, (2) monitor pivots, 2-piece desk clamp, 5.1" (13.1 cm) pole, attachment hardware (grommet mount base sold separately)	(2) Arms, (2) extensions, (2) monitor pivots, 2-piece desk clamp, 11.8" (30 cm) pole, attachment hardware (grommet mount base sold separately)
Typical LCD Size	≤ 27"	≤ 27"	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	Maximum individual LCD weight 9.4 lbs (4.25 kg) per monitor. Total weight capacity 18.8 lbs (8.5 kg)	Maximum individual LCD weight 4–20 lbs (1.8–9 kg) per monitor Total weight capacity 40 lbs (18.1 kg)	Maximum individual LCD weight 4–22 lbs (1.8–10 kg) per monitor Total weight capacity 44 lbs (20 kg)
Lift	13" (33 cm)		
Tilt	30° (+15° / -15°)	85° (+70° / -15°)	85° (+70° / -15°)
Monitor Pan	180°		
Base Arm Pan	360° (180° with rotation stop engaged)		
Monitor Rotation	360°		
VESA	MIS-D, 100/75, C (100 x 100 mm & 75 x 75 mm hole pattern)		
Extension	≤ 24.3" (61.7 cm)	≤ 25" (64 cm)	≤ 25" (64 cm)
Shipping Weight	16 lbs (7.3 kg)	19.5 lbs (8.9 kg)	22.2 lbs (10.1 kg)
Shipping Dimensions	34.8"L x 10.2"W x 6.5"H (88.5 x 26 x 16.5 cm)	27.2"L x 13.5"W x 6.5"H (69 x 34.4 x 16.4 cm)	22.8"L x 18.6"W x 6.5"H (58 x 47.3 x 16.4 cm)
Warranty	10 years		
Pro Install Option	SRVC-SPI-1		

Download additional resources at ergotron.com.

For more information:

USA & Canada: 800.888.8458 / +1.651.681.7600 / customerservice@ergotron.com

EMEA: +31.33.45.45.600 / info.eu@ergotron.com

APAC: apaccustomerservice@ergotron.com

Custom: oemsales@ergotron.com

© Ergotron, Inc. 2.19.2025

Content subject to change.

Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.

Patent information available at www.ergotron.com/patents.

